Z3-B3
10 FT - 11.5 FT
TOP
BOTTOM

Z3-B3

10 FT - 11.5 FT

← TOP

BOTTOM →

GENERAL
STAINLESS STEEL
Z3-B3
15 FT - 16.5 FT
TOP
BOTTOM

GENERAL
STAINLESS STEEL
MADE IN U.S.A.
Z3-B3
15FT-16.5ET

GENERAL
STAINLESS Steel
Z3-B3
20-21.5 FT

Z3-B3
20-21.5 FT
TOP
BOTTOM

GENERAL
STAINLESS STEEL
Z3-B3
25 FT - 26.5 FT
TOP
BOTTOM

Z3-B3

30-31.5 FT

← TOP

BOTTOM →

Z3-B3
35-36.5 FT
TOP
BOTTOM

Z3-B3
25-36.5FT

Z3-B3
40FT-41.5FT
TOP
BOTTOM

Lufkin
25FT
Z3-B3
40 FT - 41.5 FT
TOP
BOTTOM

Z3-B3, 50', California Mod Sample
No Recovery

Z3-B3

.75-75.5' T

TOP

BOTTOM

Lufkin

25FT

FT & IN INCHES

P.R. APP'D 254Tc

Z3-B3
80FT-81.5FT
BOTTOM
2
FT & IN.
INCHES
3
Lufkin
4
25FT
5
P.R. APP'D
254Tc
6
7
8
9
10

Z3-B3

80FT-81.5FT

TOP

BOTTOM

Z3-B3

85.0-

TOP

BOTTOM

Z3-B3

85.0-

TOP

BOTTOM

Lufkin
25FT
P.R. APP'D
Z3-B3
90.0 - 91.5 FT.
TOP
BOTTOM

Z3-B3

90.0 - 91.5 FT.

← TOP

BOTTOM →

Z3-B3
950-96.5 ft.

25FT
5
P.R. APP'D
254Tc
6
7
8
9
10

Z3-B3

100FT - 101.5 FT.

← TOP

BOTTOM →

Z3-B3

Z3-B3
105FT - 106.5FT
TOP
BOTTOM

Z3-B3
110 - 111.5
FT
TOP
BOTTOM

Z3-B3
110 - 111.5
TOP
BOTTOM

Z3-B3, 115', Split Spoon Sample
No Recovery

TOP

Z3-B3
120FT-121.5FT
TOP
BOTTOM

2
FT & IN
INCHES
3
Lufkin
4
25FT
5
P.R. APP'D
254Tc
6
7
8
9
Z3-B3
120FT-121.5FT
TOP
BOTTOM

2
FT & IN
INCHES
3
Lufkin
4
25FT
5
PR APP'D
254Tc
6
7
8
Z3-B3
125-126.5 FT
TOP
BOTTOM

Z3-B3
125FT-130 FT.
BOTTOM

Z3-B3
125FT-130 FT.
BOTTOM

Z3-B3
125FT-130 FT.
TOP
BOTTOM

Z3-B3
130.0-133 Ft.
TOP
BOTTOM

REMEMBER TO CHOCK YOUR TIRES

TOP

SHOE

Z3-B3
130.0-133 FT.
TOP BOTTOM

Z3-B3
130.0-133 FT.
TOP
TOP

Z3-B3
133FT → 140 FT.
TOP
BOTTOM

Z3-B3
133FT→140 FT.
TOP
BOTTOM

Z3-B3
140 - 141 FT
TOP
BOTTOM
Lufkin
25FT
FT & IN
INCHES
P.R. APP'D
254Tc

Z3-B3

141FT—144 FT.

TOP

BOTTOM

REMEMBER
TO CHOCK
YOUR TIRES
Z3-B3
141FT-144 FT.
SHOE

Z3-B3
141FT-144 FT.
SHOE


Lufkin
25FT
P.R. APP'D
2
FT & IN
INCHES
3
4
5
6
7
8
9
10
11
Z3-B3
144 FT - 145.5 FT.
TOP
BOTTOM

Z3-B3
145.5 - 146.5 FT.
TOP
BOTTOM
Lufkin
25FT
FT & IN
INCHES
P.R. APP'D
254Tc

Z3-B3
146.5FT → 152FT
TOP
BOTTOM

Z3-B3
152-154 FT
TOP
BOTTOM

Z3-B3
154-159 FT.
TOP
BOTTOM

REMEMBER
TO CHOCK
YOUR TIRES

PROPERTY
BOX NO.

Z3-B3
154 - 159 FT.
TOP
BOTTOM

Z3-B3
154 - 159 FT.
TOP
BOTTOM

Z3-B3

154 - 159 FT.

Z3-B3, 159' to 164'
No Recovery

298 - 302 = TD

Z3-B3
164-169 FT
TOP
BOTTOM

Z3-B3
164-169 FT
TOP
BOTTOM

Z3-B3
164-169 FT
TOP
BOTTOM

Z3-B3
169 - 174 FT
TOP
BOTTOM

Z3-B3
169 - 174 FT.
TOP
BOTTOM

Z3-B3
174-179 FT
TOP
BOTTOM
298-302=-4

Z3-B3
174-179 FT

REMEMBER
TO CHOCK
YOUR TIRES
Z3-B3
179-184FT
BOTTOM

Z3-B3
179-184FT

Z3-B3
184 - 189 FT
TOP
298 - 302 = 73

Z3-B3
189-194 FT
TOP
9
10
11
1
2
3

Z3-B3
189-194 FT
TIDY CATS

Z3-B3

189-194 FT

TOP

Z3-B3
189-194 FT
TOP
TOP

Z3-B3

189-194 FT

Z3-B3
194-197FT
TOP
BOTTOM

Z3-B3

194 - 197 FT

TOP

BOTTOM

194 - 197 FT

TOP

BOTTOM

USDOT 1075864
GVW
COMBINATION
TIDY

Z3-B3

197 FT → 204 FT

← TOP

BOTTOM

Z3-B3

197 FT → 204 FT

TOP

BOTTOM

Z3-B3
204 - 211 FT
Lufkin
25FT

Z3-B3

204 - 211 FT

Z3-B3
204 - 211 FT

Z3-B3
204 - 211 FT

FLATWATER FLEET
USDOT 1075864
GVW
COMBINATION
Z3-B3
204 - 211 FT

REMEMBER TO CHOCK YOUR TIRES
ALCOA
Z3-B3
211 - 218 FT
ALPLUG
Tidy

Z3-B3
211 -218 FT
SHOE
174-179 FT
ALCOA
TIDY

Z3-B3
211 -218 FT

Z3-B3
211 -218 FT

Z3-B3
211 -218 FT

Z3-B3
211 -218 FT
BOTTOM

ALCOA
GLAD
GLAD
SHOE
Z3-B3
218.0'-222.0'
TIDY
174-179 FT

Z3-B3
218.0'-222.0'
Lufkin
25FT
P.R. APP'D
254Tc
FT & IN
INCHES

Z3-B3

218 - 222

ALCOA
GLAD
Press'n Seal
SHOE
Z3-B3
218.0'-222.0'
174'-179'FT

GLAD
Press'n Seal
Holiday Tips from Food Network
Go to MealsTogether.com
Patterned Wrap
Z3-B3
227 FT
Lufkin
25FT

GLAD

Press'n Seal

Holiday Tips from Food Network

Go to MealsTogether.com

Patterned Wrap

Z3-B3

222 - 227 FT

Z3-B3
227-231 FT
SHOE
174-179 FT

Z3-B3
227-231 FT

SHOE
Z3-B3
227-231 FT
Bottom

SHOE

Z3-B3
227-231 FT

174 - 179 FT

Z3-B3
227-231 FT
TOP
BOTTOM

SHOE

Z3-B3

235 - 240 FT

TOP

BOTTOM

SHOE

Z3-B3
244 FT - 248 FT
TOP
BOTTOM

Z3-B3

244 FT - 248 FT

SHOE

Z3-B3

244 FT - 248 FT

TOP

Z3-B3
248 - 254 FT
Top
Bottom

Lufkin
25FT
P.R. APP'D
254Tc
FT & IN
INCHES
23-B3
248 - 254 , FT
TOP
BOTTOM

GLAD
Press'n Seal
Z3-B3
248 - 254 , FT
TOP
BOTTOM

GENERAL
STAINLESS STE
DE IN U.S.A.
4F
48

USDOT 1075864

GVW 62,000

COMBINATION

Z3-B3
254-264 . FT

280
298
302

Z3-B3
254-264, FT
TOP
BOTTOM


Z3-B3
254-264
FT
TOP
BOTTOM

Z3-B3
254-264 , FT
TOP
BOTTOM

Z3-B3
254-264 FT
TOP
BOTTOM

5864
Z3-B3
264 - 270.5

Z3-B
264 - 274
Bottom

Z3-B3
264 - 270.5
FT
Top
Bottom


Z3-B3
264 - 270.5
FT
Bottom
Top

Z3-B3
264 - 270.5
FT
Bottom

Lufkin
25FT
FT & IN INCHES
Z3-B3
270.5 - 275.5 FT
LAST RUN
Bottom

Z3-B3
270.5 - 275.5 FT
LAST RUN
Bottom

Z3-B3
270.5 - 275.5 FT
LAST RUN
Bottom

Z3-B3
270.5 - 275.5 FT
LAST RUN
Bottom

Z3-B3
270.5 - 275.5 FT
TOP LAST RUN BOTTOM

Z3-B3
270.5 - 275.5 FT
LAST RUN

Z3-B3
270.5 - 275.5 FT
LAST RUN
Top
Bottom

Z3-B3
270.5 - 275.5

Z3-B3
270.5 - 275.5